














North West & North Wales LTV Nursing & AHP Meeting
27th January 2023 9.30am via Teams
Notes

	<u>Agenda Item</u>	<u>Action</u>																																																					
1	<p>Welcome, Attendance & Apologies</p> <p>Meg Ruecroft welcomed attendees to the meeting.</p> <p>In attendance: Meg Ruecroft, Anna Hughes, Elaine O’Brien, Louise King, Kirsty Fee, Jane Enright, Sally Owen, Sophie Graves, Helen Templeton, Alison O’Leary, Vicky Taylor, Helen Beard, Kim Swan, Soraya Begum, Tracy Drew</p> <p>Apologies: Emma Sturt, Lauren Sampson, Joanne Hill, Jane Molyneux, Lisa Harvey</p>																																																						
2	<p>Minutes from Previous Meeting</p> <p>Minutes agreed.</p>																																																						
3	<p>Philips Respironics Update</p> <p>Representative not present at meeting.</p> <p>Information from Philips about mask availability - as of January 2023 the following masks are now available for sale:</p> <table border="1" data-bbox="205 1265 1243 2132"> <thead> <tr> <th>Mask Family group</th> <th>Product Description</th> <th>NHS supply part number</th> <th>Philips Part Number</th> </tr> </thead> <tbody> <tr> <td colspan="4" style="text-align: center;">Nasal</td> </tr> <tr> <td rowspan="5"></td> <td>DreamWisp, Size P</td> <td>FAG4269</td> <td>1137932</td> </tr> <tr> <td>DreamWisp, Size S</td> <td>FAG4270</td> <td>1137933</td> </tr> <tr> <td>DreamWisp, Size M</td> <td>FAG4271</td> <td>1137934</td> </tr> <tr> <td>DreamWisp, Size L</td> <td>FAG4272</td> <td>1137935</td> </tr> <tr> <td>DreamWisp, Size XL</td> <td>FAG4273</td> <td>1137936</td> </tr> <tr> <td></td> <td>DreamWear Nasal, with 4 cushion sizes (S,M,L,MW)</td> <td>FAG3393</td> <td>1116700</td> </tr> <tr> <td colspan="4" style="text-align: center;">Nasal Pillow</td> </tr> <tr> <td></td> <td>DreamWear Silicone Pillows</td> <td>FAG6240</td> <td>1146468</td> </tr> <tr> <td colspan="4" style="text-align: center;">Full face</td> </tr> <tr> <td rowspan="4"></td> <td>DreamWear Full face, size S</td> <td>FAG3989</td> <td>1133375</td> </tr> <tr> <td>DreamWear Full face, size M</td> <td>FAG3990</td> <td>1133376</td> </tr> <tr> <td>DreamWear Full face, size L</td> <td>FAG3991</td> <td>1133377</td> </tr> <tr> <td>DreamWear Full face, size MW</td> <td>FAG3992</td> <td>1133378</td> </tr> </tbody> </table>	Mask Family group	Product Description	NHS supply part number	Philips Part Number	Nasal					DreamWisp, Size P	FAG4269	1137932	DreamWisp, Size S	FAG4270	1137933	DreamWisp, Size M	FAG4271	1137934	DreamWisp, Size L	FAG4272	1137935	DreamWisp, Size XL	FAG4273	1137936		DreamWear Nasal, with 4 cushion sizes (S,M,L,MW)	FAG3393	1116700	Nasal Pillow					DreamWear Silicone Pillows	FAG6240	1146468	Full face					DreamWear Full face, size S	FAG3989	1133375	DreamWear Full face, size M	FAG3990	1133376	DreamWear Full face, size L	FAG3991	1133377	DreamWear Full face, size MW	FAG3992	1133378	
Mask Family group	Product Description	NHS supply part number	Philips Part Number																																																				
Nasal																																																							
	DreamWisp, Size P	FAG4269	1137932																																																				
	DreamWisp, Size S	FAG4270	1137933																																																				
	DreamWisp, Size M	FAG4271	1137934																																																				
	DreamWisp, Size L	FAG4272	1137935																																																				
	DreamWisp, Size XL	FAG4273	1137936																																																				
	DreamWear Nasal, with 4 cushion sizes (S,M,L,MW)	FAG3393	1116700																																																				
Nasal Pillow																																																							
	DreamWear Silicone Pillows	FAG6240	1146468																																																				
Full face																																																							
	DreamWear Full face, size S	FAG3989	1133375																																																				
	DreamWear Full face, size M	FAG3990	1133376																																																				
	DreamWear Full face, size L	FAG3991	1133377																																																				
	DreamWear Full face, size MW	FAG3992	1133378																																																				

4	<p>BREAS Ventilator Update</p> <p>Representative not present at meeting.</p>																																														
5	<p>ODN Update</p> <ul style="list-style-type: none"> - Moving forward with equipment and maintenance work. Have start-up list and have liaised with adult services. Although complicated, as NHSE responsible for purchasing ventilators and CCGs/ICBs responsible for cough assists etc, as sit under different contracts. Unfortunately, have just lost project lead at Alder Hey. - Children have been in hospital in PICU beds over the winter due to equipment problems; have now secured some money to fund additional equipment, so will hopefully reduce this happening. - Education work stream progressing. Meeting invite has been sent out to those to be involved. Anna has completed literature search. Have purchased two high fidelity sim dolls. ODN building comprehensive education package. - Level 2 service development work taking place. Will enable children to be supported closer to home. Training to be provided to the DGHs that are to become Level 2 units. - The LTV ODN's two clinical leads off at present, so main contacts are Elaine and Louise. - Masks that were unavailable are now available (see Philips update) (except Wisp, although can buy parts and put together). Meg will provide information on putting together the Wisp parts to make mask (see below). - There have been further alerts re the magnets in masks. Elaine will share. - There are a wide variety of vents in the region at present. Which has positive and negative points; difficult to ensure staff trained and familiar with all the vents, but positive in terms of if one of the suppliers has a shortage, all the reliance is not on that one supplier. Education on vents would be helpful. Big issue for hospices as have to deal with a wide range of different vents. - Power cuts issue has been flagged up again. Advice letter has been circulated from the ODN. Families advised to sign up to the electricity board alert scheme, so they will be updated about anticipated outages. Children need to be kept safe at home ideally without risking having to travel into hospital. Need to ensure families have power support for their equipment, and give consideration to lighting. <p>PAEDIATRIC WISP PARTS</p> <table border="1" data-bbox="204 1346 1249 1644"> <tr> <td>1104973</td> <td>FFL756 (£20.26)</td> <td>RP Wisp paediatric headgear</td> </tr> <tr> <td>1104977</td> <td>FAG3404</td> <td>RP Wisp paediatric tubing w/ cover subassembly</td> </tr> <tr> <td>1104969</td> <td></td> <td>RP Wisp paediatric SC Small</td> </tr> <tr> <td>1104970</td> <td></td> <td>RP Wisp paediatric SC Medium</td> </tr> <tr> <td>1104971</td> <td></td> <td>RP Wisp paediatric SC Large</td> </tr> <tr> <td>1104972</td> <td></td> <td>RP Wisp paediatric frame</td> </tr> <tr> <td>1104974</td> <td></td> <td>RP Wisp paediatric headgear clips</td> </tr> <tr> <td>1104976</td> <td></td> <td>RP Wisp paediatric SE Elbow</td> </tr> </table> <p>YOUTH WISP PARTS</p> <table border="1" data-bbox="204 1715 1249 1973"> <tr> <td>1094086</td> <td>FAG3385</td> <td>P wisp cushion</td> </tr> <tr> <td>1094087</td> <td>FFL750</td> <td>S/M Wisp Cushion</td> </tr> <tr> <td>1094088</td> <td>FFL751</td> <td>L Wisp Cushion</td> </tr> <tr> <td>1094081</td> <td>FFL749</td> <td>Wisp Fabric frame</td> </tr> <tr> <td>1109307</td> <td>FFL753</td> <td>Wisp headgear – Reduced size</td> </tr> <tr> <td>1120434</td> <td>FAG4398</td> <td>Wisp magnetic clips</td> </tr> <tr> <td>1105624</td> <td>FAG3388</td> <td>Wisp tube and elbow assembly</td> </tr> </table>	1104973	FFL756 (£20.26)	RP Wisp paediatric headgear	1104977	FAG3404	RP Wisp paediatric tubing w/ cover subassembly	1104969		RP Wisp paediatric SC Small	1104970		RP Wisp paediatric SC Medium	1104971		RP Wisp paediatric SC Large	1104972		RP Wisp paediatric frame	1104974		RP Wisp paediatric headgear clips	1104976		RP Wisp paediatric SE Elbow	1094086	FAG3385	P wisp cushion	1094087	FFL750	S/M Wisp Cushion	1094088	FFL751	L Wisp Cushion	1094081	FFL749	Wisp Fabric frame	1109307	FFL753	Wisp headgear – Reduced size	1120434	FAG4398	Wisp magnetic clips	1105624	FAG3388	Wisp tube and elbow assembly	EO
1104973	FFL756 (£20.26)	RP Wisp paediatric headgear																																													
1104977	FAG3404	RP Wisp paediatric tubing w/ cover subassembly																																													
1104969		RP Wisp paediatric SC Small																																													
1104970		RP Wisp paediatric SC Medium																																													
1104971		RP Wisp paediatric SC Large																																													
1104972		RP Wisp paediatric frame																																													
1104974		RP Wisp paediatric headgear clips																																													
1104976		RP Wisp paediatric SE Elbow																																													
1094086	FAG3385	P wisp cushion																																													
1094087	FFL750	S/M Wisp Cushion																																													
1094088	FFL751	L Wisp Cushion																																													
1094081	FFL749	Wisp Fabric frame																																													
1109307	FFL753	Wisp headgear – Reduced size																																													
1120434	FAG4398	Wisp magnetic clips																																													
1105624	FAG3388	Wisp tube and elbow assembly																																													

<p>6</p>	<p>Advice from Region Tertiary Centres</p> <p>AHCH update:</p> <ul style="list-style-type: none"> - Now have influx of A40 pro vents. Running vent swap clinics. Process in place, including copying in any community teams. Very similar, so shouldn't be any issues, except for maybe a few additional consumables needs. - Dreamstation swap overs now almost complete - Evo swaps now almost complete as well; 26 invasive patients, and just 3 left to swap <p>RMCH update:</p> <ul style="list-style-type: none"> - All dreamstation patients swapped over - A40 Pro patients to be swapped over in clinics beginning next week. Some will have to be swapped over as inpatients, as they use them for more than 16 hours a day. - Trilogy swaps also to commence, but awaiting to hear when will receive Trilogy 100's - Have good stock of Nippy 4's in at present - Still issue with getting cough assists and parts from Breas (1 year wait for Clear Way 2) - Whilst Anna is on maternity leave, contacts for the team at RMCH are as follows: <ul style="list-style-type: none"> o For NIV patients lauren.sampson@mft.nhs.uk o For Invasively ventilated patients Emma.Anderton@mft.nhs.uk; Sam.Collins@mft.nhs.uk; Tracy.Drew@mft.nhs.uk 	<p>-</p>
<p>7</p>	<p>Consumable Issues</p> <ul style="list-style-type: none"> - Helen noted she has been having issues with getting HME's - Alison to share list of consumables for IV pts and alternatives if required (see below): <div style="text-align: center;">  <p>Invasive equipment list with images.doc</p> </div> <ul style="list-style-type: none"> o Alison will contact Katie from Philips regarding problem with filter in Evo going black and needing to be changed every couple of days. Alison will feed back. - Issue with sterile water. Elaine has circulated a list from NHS Supply Chain about sterile water in stock. Refillable bags can be used with the sterile water in pouring bottles. To note, tap water can result in calcium deposits in the humidifier, which would then result in increased secretions for patients, so tap water in humidifiers is not indemnified, and therefore de-ionised water needs to be used. 	<p>AO</p>
<p>8</p>	<p>Survey Monkey re: Network Meetings</p> <p>Thank you to everyone who completed survey. We want to ensure you get the most out of these meetings. Meg, Anna, Elaine and Louise met recently to go through the results of the survey, and the following are to be implemented:</p> <ul style="list-style-type: none"> - Meetings to go to every 2 months - Each meeting to have an educational component - Planning to have a face-to-face educational event in the summer, to include practical training, sim dolls and networking. If there is anything in particular you'd like including, please let us know. 	
<p>9</p>	<p>Education session: Mask fitting</p> <p>Mask fitting education session given by Meg, showing and demonstrating different mask types.</p>	
<p>10</p>	<p>Any Other Business</p> <p>No items raised.</p>	

11

Next Meeting

31st March 2023 9.30am via Teams